

hotbath

italian bathroomware

ISTRUZIONI DI MONTAGGIO *INSTALLATION INSTRUCTION / NOTICE DE MONTAGE* *MONTAGEANLEITUNG / INSTRUCCIONES DE MONTAJE*

Modulo ad incasso universale per art. AF009 e AF029
Universal concealed body for art. AF009 and AF029
Mécanisme encastré universel pour art. AF009 et AF029
Universal Unterputz-Einbaukörper für AF009 und AF029
Modulo de empotrar universal para art. AF009 y AF029




INSTALLAZIONE DA PERSONALE QUALIFICATO
INSTALLATION BY QUALIFIED PERSONNEL
INSTALLATION PAR DU PERSONNEL QUALIFIÉ
INSTALLATION DURCH QUALIFIZIERTES PERSONAL
INSTALACIÓN POR PERSONAL CUALIFICADO



U

Solo / Only / Seulement /
Nur / Sólo art. AF009


Comando in alto / Control up
Contrôle haut / Bedienung Oben / Comando arriba



L

Solo / Only / Seulement /
Nur / Sólo art. AF009


Comando a sinistra
Control left
Contrôle gauche
Bedienung Links
Control izquierdo



R

Solo / Only / Seulement /
Nur / Sólo art. AF009


Comando a destra
Control right
Contrôle droit
Bedienung Rechts
Control derecho




D

Entrambi / Both / Les deux /
Beide / Ambos art. AF009 - AF029

Comando in basso / Control down / Contrôle bas
Bedienung Unten / Comando abajo



PRIMA DI INIZIARE / BEFORE STARTING / AVANT DE COMMENCER / VOR DER MONTAGE / ANTES DE EMPEZAR



DOTAZIONI EQUIPMENT / ÉQUIPEMENT AUSRÜSTUNG / EQUIPO



4X



4X



3

1X



4X




2X




1X

1X



Guaina anticondensa
Anti-condensation sheath
Gaine anti-condensation
Dichtmanschette
Funda anticondensación

1X



Dima
Template
Modèle
Schablone
Plantilla


A




B




**COLLEGAMENTI / CONNECTION / CONNEXION
ANSCHLÜSSE / CONNEXIÓN**




**INSTALLAZIONE
INSTALLATION / INSTALLATION
INSTALLATION / INSTALACIÓN**



**POSIZIONAMENTO NEL MURO
POSITIONING IN THE WALL
POSITIONNEMENT DANS LE MUR
POSITIONIERUNG IN DER WAND
COLOCACIÓN EN LA PARED**





PROVA CIRCUITO
CIRCUIT TEST
TEST DE CIRCUITS
DRUCK PRÜFUNG
PRUEBA DE CIRCUITO



Piastrelle
Tiles / Carreaux
Fliesen / Baldosas

Guaina
Sheath / Gaine
Dichtmanschette / Vaina

Intonaco
Plaster / Plâtre
Verputz / Yeso






1



2




3



4




5



6

DISEGNI DIMENSIONALI
TECHNICAL DRAWING
DIMENSION TECHNIQUES
MASSZEICHNUNGEN
DIMENSIONES TÉCNICO



hotbath
italian bathroomware

Hotbath Srl
Via Marco Polo 135/D • I-55049 • Viareggio • Italy
info@hotbath.it • www.hotbath.it

hotbath

italian bathroomware

ISTRUZIONI DI MONTAGGIO

INSTALLATION INSTRUCTION / NOTICE DE MONTAGE

MONTAGEANLEITUNG / INSTRUCCIONES DE MONTAJE

Parti esterne per miscelatore termostatico con deviatore a 2 vie art. AF009

External parts for thermostatic mixer with 2-way diverter art. AF009

Parties extérieures pour mitigeur thermostatique avec inverseur à 2-voies art. AF009

AP-Teile für Thermostatmischer mit 2-Wege Umsteller Art. AF009

Kit exterior para mezclador termostático con inversor de 2-vías art. AF009





INSTALLAZIONE DA PERSONALE QUALIFICATO
INSTALLATION BY QUALIFIED PERSONNEL
INSTALLATION PAR DU PERSONNEL QUALIFIÉ
INSTALLATION DURCH QUALIFIZIERTES PERSONAL
INSTALACIÓN POR PERSONAL CUALIFICADO



APPLICAZIONI POSSIBILI POSSIBLE APPLICATIONS / APPLICATIONS POSSIBLES MÖGLICHE ANWENDUNGEN / POSIBLES APLICACIONES

U


Comando in alto / Control up
Contrôle haut / Bedienung Oben /
Comando arriba



L


Comando a sinistra
Control left / Contrôle gauche
Bedienung Links / Control izquierdo

MODULO 360
MODULO 360
MODULO 360



R

Comando a destra
Control right / Contrôle droit
Bedienung Rechts / Control derecho



D

Comando in basso / Control down / Contrôle bas
Bedienung Unten / Comando abajo


DOTAZIONI EQUIPMENT ÉQUIPEMENT AUSRÜSTUNG EQUIPO




PRIMA DI INIZIARE / BEFORE STARTING / AVANT DE COMMENCER / VOR DER MONTAGE / ANTES DE EMPEZAR


Diagram illustrating the correct water pressure settings for the shower. The top row shows pressure gauges: 'P bar' with a thumbs up for 1 bar (1 MIN) and a thumbs down for 3 bar (MAX 5). The bottom row shows temperature gauges: 'T °C' with a thumbs up for 45°C (MAX 60) and a thumbs down for 80°C. A central illustration shows water spraying from a showerhead into a bucket, with a clock indicating 15 minutes. To the right, a 'RECOMMENDED: BALANCED PRESSURES' section shows a balance scale between two gauges, both at 1 bar, with a thumbs up in the center. A 'OFF' button with a crossed-out flame icon is also shown.

INSTALLAZIONE / INSTALLATION / INSTALLATION INSTALLATION / INSTALACIÓN





DISEGNI DIMENSIONALI
TECHNICAL DRAWINGS
DIMENSIONS TECHNIQUES
MASSZEICHNUNGEN
DIMENSIONES TÉCNICAS



hotbath
 italian bathroomware

Hotbath Srl
 Via Marco Polo 135/D • I-55049 • Viareggio • Italy
 info@hotbath.it • www.hotbath.it