

hotbath

italian bathroomware

ISTRUZIONI DI MONTAGGIO

INSTALLATION INSTRUCTION / NOTICE DE MONTAGE

MONTAGEANLEITUNG / INSTRUCCIONES DE MONTAJE

Miscelatore bicomando per bordo vasca 3 o 4 fori

con bocca erogazione, doccetta anticalcare

3 or 4 hole deck mounted bath mixer, spout and pull-out anti-lime hand shower

Mélangeur bain douche sur gorge 3 o 4 trous, bec de remplissage et douchette anticalcaire

3 other 4-Loch Wannenrandkombination,

Wanneneinlauf und Handbrause mit Antikalk-System



Monobloc para grupo bañera 3 o 4 agujeros con caño de llenado, duchita antical




INSTALLAZIONE DA PERSONALE QUALIFICATO
INSTALLATION BY QUALIFIED PERSONNEL
INSTALLATION PAR DU PERSONNEL QUALIFIÉ
INSTALLATION DURCH QUALIFIZIERTES PERSONAL
INSTALACIÓN POR PERSONAL CUALIFICADO





PRIMA DI INIZIARE / BEFORE STARTING / AVANT DE COMMENCER / VOR DER MONTAGE / ANTES DE EMPEZAR






MANUTENZIONE
MAINTENANCE / ENTRETIEN
WARTUNG / MANTENIMIENTO



Technical drawing of the cable assembly showing side and front views with dimensions:

- Side View (Left):**
 - Top cable diameter: $\varnothing 27$
 - Flange thickness: 5
 - Max. height from base to top of flange: 37
 - Flange diameter: $\varnothing 40$
 - Flange thickness: 5
 - Max. height from base to top of flange: 35
 - Distance from base to top of flange: 42
 - Bottom cable diameter: $\varnothing 23$
 - Flange thickness: 5
 - Max. height from base to top of flange: 39
 - Distance from base to top of flange: 195
 - Bottom cable diameter: $\varnothing 23$
 - Flange thickness: 5
 - Max. height from base to top of flange: 39
 - Distance from base to top of flange: 195
- Front View (Right):**
 - Top cable diameter: $\varnothing 27$
 - Flange thickness: 5
 - Max. height from base to top of flange: 37
 - Flange diameter: $\varnothing 40$
 - Flange thickness: 5
 - Max. height from base to top of flange: 35
 - Distance from base to top of flange: 42
 - Bottom cable diameter: $\varnothing 23$
 - Flange thickness: 5
 - Max. height from base to top of flange: 39
 - Distance from base to top of flange: 195
 - Bottom cable diameter: $\varnothing 23$
 - Flange thickness: 5
 - Max. height from base to top of flange: 39
 - Distance from base to top of flange: 195



Hotbath Srl
Via Marco Polo 135/D • I-55049 • Viareggio • Italy
info@hotbath.it • www.hotbath.it